

**Features**

- Compliant with AEC-Q200 Rev-C-Stress Test Qualification for Passive Components in Automotive Applications
- Operating temperature range up to 125 °C
- Low thermal derating factor
- Higher hold currents at elevated temperature
- Choice of operating currents
- RoHS compliant\* and halogen free\*\*
- Resettable fault protection of general electronic equipment

**PRCP-RHT Series - Polymer Resettable Circuit Protectors**

**Electrical Characteristics**

Model	V max. Volts	I max. Amps	I <sub>hold</sub>	I <sub>trip</sub>	Resistance		Max. Time To Trip		Tripped Power Dissipation
			Amperes at 23 °C		Ohms at 23 °C		Amperes at 23 °C	Seconds at 23 °C	Watts at 23 °C
			Hold	Trip	R <sub>Min.</sub>	R <sub>1Max.</sub> (Post Trip)		Max.	Typ.
PRCP-RHT070	16	40	0.7	1.4	0.3	0.8	3.5	4.0	1.4
PRCP-RHT200	16	100	2.0	3.8	0.045	0.110	12.5	3.0	1.4
PRCP-RHT450	16	100	4.5	7.8	0.022	0.054	22.5	3.0	3.6
PRCP-RHT650	16	100	6.5	12.0	0.011	0.026	32.5	5.5	4.3
PRCP-RHT750	16	100	7.5	13.1	0.0094	0.022	37.5	7.0	4.5
PRCP-RHT1300	16	100	13.0	24.0	0.0041	0.010	60.0	13.0	6.9

**Environmental Characteristics**

Operating Temperature.....-40 °C to +125 °C  
 Storage Temperature.....-40 °C to +85 °C  
 Passive Aging.....+85 °C, 1000 hours..... ±15 % typical resistance change  
 Humidity Aging.....+85 °C, 85 % R.H. 1000 hours..... ±15 % typical resistance change  
 Thermal Shock.....MIL-STD-202, Method 107..... ±10 % typical resistance change  
 +125 °C to -40 °C, 10 cycles  
 Vibration.....MIL-STD-883C, Method 2007.1, Condition A..... No change


**Test Procedures And Requirements For Model PRCP-RHT Series**

Test	Test Conditions	Accept/Reject Criteria
Visual/Mech.....	Verify dimensions and materials.....	Per P.R.C.P. physical description
Resistance.....	In still air @ 23 °C.....	R <sub>min</sub> ≤ R ≤ R <sub>1max</sub>
Time to Trip.....	At specified current. V <sub>max</sub> . 23 °C.....	T ≤ max. time to trip (seconds)
Hold Current.....	30 min. at I <sub>hold</sub> .....	No trip
Trip Cycle Life.....	V <sub>max</sub> , I <sub>max</sub> , 100 cycles.....	No arcing or burning
Trip Endurance.....	V <sub>max</sub> , 48 hours.....	No arcing or burning
Solderability.....	MIL-STD-202, Method 208.....	95 % min. coverage

**Thermal Derating Chart - I<sub>hold</sub> (Amps)**

Model	Ambient Operating Temperature									
	-40 °C	-20 °C	0 °C	23 °C	40 °C	50 °C	60 °C	70 °C	85 °C	125 °C
PRCP-RHT070	0.95	0.87	0.79	0.7	0.62	0.56	0.51	0.47	0.39	0.17
PRCP-RHT200	2.71	2.49	2.26	2.00	1.77	1.60	1.46	1.34	1.11	0.49
PRCP-RHT450	6.1	5.6	5.1	4.5	4.0	3.6	3.3	3.0	2.5	1.1
PRCP-RHT650	8.8	8.1	7.4	6.5	5.7	5.3	4.8	4.3	3.6	1.6
PRCP-RHT750	10.2	9.4	8.6	7.5	6.6	6.1	5.6	5.0	4.1	1.9
PRCP-RHT1300	17.7	16.3	14.8	13.0	11.4	10.5	9.6	8.6	7.2	3.3

**How to Order**



\*Packaged per EIA 486-B

\*RoHS Directive 2015/863 Mar. 31 2015 and Annex.

\*\*COPAL follows the prevailing definition of "halogen free" in the industry. COPAL considers a product to be "halogen free" if (a) the Bromine (Br) content is 900 ppm or less; (b) the Chlorine (Cl) content is 900 ppm or less; and (c) the total Bromine (Br) and Chlorine (Cl) content is 1500 ppm or less.

Specifications are subject to change without notice.

The device characteristics and parameters in this data sheet can and do vary in different applications and actual device performance may vary over time. Customers should verify actual device performance in their specific applications.

### Applications

- Protection of automotive circuitry including engine control modules
- Overcurrent surge protection of electronic equipment required to operate at high operating temperature ranges
- Resettable fault protection of general electronic equipment

## PRCP-RHT Series - Polymer Resettable Circuit Protectors

### Product Dimensions


Model	A		B		C		D		E		F		Physical Characteristics	
	Max.	Max.	Nom.	Tol. ±	Min.	Max.	Nom.	Style	Material					
PRCP-RHT070	6.86 (0.27)	10.8 (0.425)	5.1 (0.201)	0.7 (0.028)	7.6 (0.30)	3.0 (0.12)	0.51 (0.020)	1	Sn/CuFe					
PRCP-RHT200	9.4 (0.37)	14.0 (0.55)	5.1 (0.201)	0.7 (0.028)	7.6 (0.30)	3.0 (0.12)	0.51 (0.020)	3	Sn/Cu					
PRCP-RHT450	10.4 (0.41)	15.6 (0.61)	5.1 (0.201)	0.7 (0.028)	7.6 (0.30)	3.0 (0.12)	0.81 (0.032)	2	Sn/Cu					
PRCP-RHT650	12.7 (0.50)	22.2 (0.88)	5.1 (0.201)	0.7 (0.028)	7.6 (0.30)	3.0 (0.12)	0.81 (0.032)	2	Sn/Cu					
PRCP-RHT750	14.0 (0.55)	23.5 (0.93)	5.1 (0.201)	0.7 (0.028)	7.6 (0.30)	3.0 (0.12)	0.81 (0.032)	2	Sn/Cu					
PRCP-RHT1300	23.5 (0.925)	28.7 (1.17)	10.2 (0.402)	0.7 (0.028)	7.6 (0.30)	3.6 (0.14)	1.0 (0.040)	2	Sn/Cu					

Packaging:

BULK: 500 pcs. per bag


TAPE & REEL: PRCP-RHT070 ~ PRCP-RHT200 = 3000 pcs. per reel; PRCP-RHT450 ~ PRCP-RHT650 = 1500 pcs. per reel; PRCP-RHT750 ~ PRCP-RHT1300 = 1000 pcs. per reel

0.51 (24AWG)  
0.81 (20AWG)  
1.0 (18AWG)  
DIMENSIONS:  $\frac{\text{MM}}{\text{(INCHES)}}$




### Typical Part Marking

Represents total content. Layout may vary.



### Typical Time to Trip at 23 °C



The Time to Trip curves represent typical performance of a device in a simulated application environment. Actual performance in specific customer applications may differ from these values due to the influence of other variables.

Specifications are subject to change without notice.

The device characteristics and parameters in this data sheet can and do vary in different applications and actual device performance may vary over time. Customers should verify actual device performance in their specific applications.

## PRCP-RHT Series Tape and Reel Specifications

Devices taped using EIA468-B/IEC60286-2 standards. See table below and Figures 1 and 2 for details.

Dimension Description	IEC Mark	EIA Mark	Dimensions	
			Dimensions	Tolerance
Carrier tape width	W	W	$\frac{18}{(0.709)}$	$\frac{-0.5/+1.0}{(-0.02/+0.039)}$
Hold down tape width	W <sub>0</sub>	W <sub>4</sub>	$\frac{11}{(0.433)}$	min.
Hold down tape			No protrusion	
Top distance between tape edges	W <sub>2</sub>	W <sub>6</sub>	$\frac{3}{(0.118)}$	max.
Sprocket hole position	W <sub>1</sub>	W <sub>5</sub>	$\frac{9}{(0.354)}$	$\frac{-0.5/+0.75}{(-0.02/+0.03)}$
Sprocket hole diameter	D <sub>0</sub>	D <sub>0</sub>	$\frac{4}{(0.157)}$	$\frac{\pm 0.2}{(\pm 0.0078)}$
Abscissa to plane (straight lead)	H	H	$\frac{18.5}{(0.728)}$	$\frac{\pm 3.0}{(\pm 0.118)}$
Abscissa to plane (kinked lead)	H <sub>0</sub>	H <sub>0</sub>	$\frac{16}{(0.63)}$	$\frac{\pm 0.5}{(\pm 0.02)}$
Abscissa to top: PRCP-RHT070 ~ PRCP-RHT450	H <sub>1</sub>	H <sub>1</sub>	$\frac{32.2}{(1.268)}$	max.
Abscissa to top: PRCP-RHT650 ~ PRCP-RHT1300	H <sub>1</sub>	H <sub>1</sub>	$\frac{45.0}{(1.837)}$	max.
Overall width w/lead protrusion: PRCP-RHT070 ~ PRCP-RHT450		C <sub>1</sub>	$\frac{42.5}{(1.673)}$	max.
Overall width w/lead protrusion: PRCP-RHT650 ~ PRCP-RHT1300		C <sub>1</sub>	$\frac{55.0}{(2.165)}$	max.
Overall width w/o lead protrusion: PRCP-RHT070 ~ PRCP-RHT450		C <sub>2</sub>	$\frac{42.5}{(1.673)}$	max.
Overall width w/o lead protrusion: PRCP-RHT650 ~ PRCP-RHT1300		C <sub>2</sub>	$\frac{54.0}{(2.126)}$	max.
Lead protrusion	I <sub>1</sub>	L <sub>1</sub>	$\frac{1.0}{(0.039)}$	max.
Protrusion of cutout	L	L	$\frac{11}{(0.433)}$	max.
Protrusion beyond hold-down tape	I <sub>2</sub>	I <sub>2</sub>	Not specified	
Sprocket hole pitch	P <sub>0</sub>	P <sub>0</sub>	$\frac{12.7}{(0.5)}$	$\frac{\pm 0.3}{(\pm 0.012)}$
Pitch tolerance			20 consecutive	$\frac{\pm 1}{(\pm 0.039)}$
Device pitch: PRCP-RHT070 ~ PRCP-RHT450			$\frac{12.7}{(0.5)}$	$\frac{\pm 0.3}{(\pm 0.012)}$
Device pitch: PRCP-RHT650 ~ PRCP-RHT1300			$\frac{25.4}{(1.0)}$	$\frac{\pm 0.6}{(\pm 0.024)}$
Tape thickness	t	t	$\frac{0.9}{(0.035)}$	max.
Tape thickness with splice: PRCP-RHT070		t <sub>1</sub>	$\frac{1.5}{(0.059)}$	max.
Tape thickness with splice: PRCP-RHT450 ~ PRCP-RHT1300		t <sub>1</sub>	$\frac{2.3}{(0.091)}$	max.
Splice sprocket hole alignment			$\frac{4.0}{(0.157)}$	$\frac{\pm 0.2}{(\pm 0.008)}$
Body lateral deviation	Δ <sub>h</sub>	Δ <sub>h</sub>	0	$\frac{\pm 1}{(\pm 0.039)}$
Body tape plane deviation	Δ <sub>p</sub>	Δ <sub>p</sub>	0	$\frac{\pm 0.3}{(\pm 0.012)}$
Ordinate to adjacent component lead	P <sub>1</sub>	P <sub>1</sub>	$\frac{3.81}{(0.015)}$	$\frac{\pm 0.07}{(\pm 0.028)}$

DIMENSIONS:  $\frac{\text{MM}}{\text{(INCHES)}}$

Specifications are subject to change without notice.


The device characteristics and parameters in this data sheet can and do vary in different applications and actual device performance may vary over time.

Customers should verify actual device performance in their specific applications.


# PRCP-RHT Series Tape and Reel Specifications

Dimension Description	IEC Mark	EIA Mark	Dimensions		
			Dimensions	Tolerance	
Lead spacing: PRCP-RHT070 ~ PRCP-RHT750	F	F	5.08 (0.2)	-0.2/+0.8 (-0.006/+0.031)	
Lead spacing: PRCP-RHT1300	F	F	10.2 (0.402)	-0.2/+0.8 (-0.006/+0.031)	
Reel width: PRCP-RHT070 ~ PRCP-RHT450	w	W <sub>2</sub>	56 (2.20)	max.	
Reel width: PRCP-RHT650 ~ PRCP-RHT1300	w	W <sub>2</sub>	63.5 (2.50)	max.	
Reel diameter	d	a	370.0 (14.57)	max.	
Space between flanges less device	W <sub>1</sub>	h	4.75 (0.187)	±3.25 (±0.128)	
Arbor hole diameter	f	c	26.0 (1.02)	±12.0 (±0.472)	
Core diameter	h	n	80.0 (3.15)	max.	
Box			62 (2.44)	355 (14.0)	345 (13.6)
Consecutive missing places			3	max.	
Empty places per reel			Not specified		

Taped Component Dimensions - Figure 1



Reel Dimensions - Figure 2



Specifications are subject to change without notice.  
 The device characteristics and parameters in this data sheet can and do vary in different applications and actual device performance may vary over time.  
 Customers should verify actual device performance in their specific applications.